

SILVERLINE OFFICE EQUIPMENT LTD
James Carter Road
Mildenhall Industrial Estate
Mildenhall
Suffolk
IP28 7DE

T: +44 (0)1638 582 700
F: +44 (0)1638 582 714
E: enquiries@silverline-oe.com
W: www.silverline-oe.com

SILVERLINE LONDON SHOWROOM
21-22 Great Sutton Street
Clerkenwell
London
EC1V 0DY
Tel: +44 (0)20 7253 7652



CLASSICS
silverline

CLASSICS - CORE WORKSPACE STORAGE

Our successful range of Classics storage offers tried & tested solutions for a wide variety of workspaces.

This comprehensive range of traditional steel storage has a reputation for providing practical, well established products combined with great value.

As a leading British steel storage manufacturer, Silverline have focused solely on creating innovative storage solutions for over 30 years providing effective, sensible & secure storage helping to organise and transform workplaces nationwide.

CONTENTS

Classics Overview	2	M:Line filing cabinets	12	M:Line side tambour	30
Key to symbols	3	Media filing & card index cabinets	14	Kontrax cupboards	32
Key information service	3	Multidrawers	16	M:Line cupboards	34
Green & Lean	4	A3 jumbo & 5 drawer filing cabinets	18	M:Line open fronted cupboards	36
Colour Finishes	5	Double and kontrax side filers	20	Cupboard accesories	38
PRODUCTS:		M:Line side filers	22	Railex filing	40
Kontrax filing cabinets	6	Combi:store	24	Pedestal storage units	42
Midi filing cabinets	8	Vertical tambour	26	M:Line personal lockers	44
Executive filing cabinets	10	Kontrax side tambour	28	Kontrax lockers	46

KEY INFORMATION SERVICE

Do you have a Silverline cabinet but no keys?

Whether you've lost, broken or need extra sets you can now order through our Key Service 'KeysPlease' Simply quote the numbers and letters stamped on the lockface and your keys will be dispatched the same day!

Contact our aftersales key service on: Tel: +44(0)208 343 2943
Fax: +44(0)208 343 2944

Email: sales@keysplease.co.uk

Or order online at www.keysplease.co.uk

KEY TO SYMBOLS

 15 YEAR Guarantee	 2 Key Mastered Series	 A4 Standard File
 100% Drawer Extension	 Levelling Feet	 Accepts A4 & Foolscap Files
 50 KILO Drawer Carrying Capacity for Suspended Filing	 Pen Tray	 A3 Standard Files
 Anti-Tilt Locking Mechanism	 Compartment Tray	 FIRA Certified
 Undefeatable Anti-Tilt Locking Mechanism	 Foolscap Standard File	 Counter Balance

GREEN & LEAN


At Silverline we continuously improve our manufacturing processes and invest in new machinery. Our products are designed with sustainability & care to the environment considered, as standard.

Ever conscious of the impact on the environment, we are pleased to not only meet ISO 14001 standard, but also be part of the Furniture Industry Sustainability Programme or FISP developed by FIRA. FISP has rapidly become established as the industry forum on all environmental and sustainable issues. FISP focuses on not just environmental issues, but also purchasing, end of product life, social and community issues.



COLOUR FINISHES

CARCASSES, DOORS & SHELVES



Light Grey
RAL 7035
Order Code 002



Black
RAL 9005
Order Code 003




Graphite Grey
RAL 7024
Order Code 012




Goose Grey
BS 00 A 05
Order Code 042



Coffee & Cream
Order Code 004



Brown & Beige
Order Code 001




Silver
RAL 9006
Order Code 052

Standard* on Pedstals only


STANDARD* PRICING



White
Order Code 009



Silver
RAL 9006
Order Code 052



British Racing Green
BS 381 C 226
Order Code 064




Blue
RAL 5017
Order Code 011



Red
RAL 3002
Order Code 010

5% SURCHARGE



Traffic White
RAL 9016
Order Code 169



Signal White
RAL 9003
Order Code 190



Almond White
Order Code 054



Satin White
RAL 9010
Order Code 017



Sand
Order Code 240




Sunshine Yellow
Order Code 430



Traffic Purple
RAL 4006
Order Code 176



Sienna Orange
Order Code 244




Chlorophyll
Order Code 242



Verdigris
Order Code 243




Ocean Cobalt
Order Code 247



Peppermint Green
BS 16 C 33
Order Code 078

NEW COLOURS



Pastel Blue
Order Code 644
RAL 5024



Pastel Violet
Order Code 641
RAL 4009




Lemon Yellow
Order Code 642
RAL 1012




Coffee
Order Code 006



Pastel Turquoise
Order Code 623
RAL 6034



Green Beige
Order Code 618
RAL 1000



Antique Pink
Order Code 643
RAL 3014

PRICE ON APPLICATION

Please note: These colours are intended as a guide only and are as accurate as printing processes allow. For accurate colour samples, please contact a member of our Sales Office or email: enquiries@silverline-oe.com. Where RAL codes are not specified, the colours are unique to the Silverline range.

BLIND COLOUR FINISHES



Black



Beige



Light Grey

STANDARD PRICING



Red



Blue



White



Cream White



Silver




Graphite Grey


5% SURCHARGE



Silk Lime




Satin Graphite



Satin Claret



Satin Navy



Ice Blue



Ice Lime



Ice Orange




Ice White



Oak



Beech



Maple

15% SURCHARGE

KONTRAX FILING CABINETS

The improved Kontrax Filing Cabinet range is an ever popular entry level product, ideal for home, office or archival use. The range offers a filing capacity of 1.8 metres of linear storage..

- 5 YEAR WARRANTY
- 30kg
- FS
- 100%
- ANTI-TILT
- 1
- FIRA

FEATURES

- . 5 year guarantee
- . FIRA certified
- . 30kg suspension file carrying capacity per drawer
- . Anti-Tilt Locking Mechanism (unit must be on level ground)
- . 100% drawer extension
- . 2 key mastered series

THE OPTIONS

- . Security bar (factory fitted)
- . Same lock number
- . Divider kit
- . A4 conversion kit
- . Choice of 6 standard colour finishes. See standard pricing. Colour options on page 5

TECH DATA

FOOLSCAP FILING CABINETS				
		H(mm)	W(mm)	D(mm)
FCEC4F	4 DRAWER	1320	458	620
FCEC3F	3 DRAWER	1009	458	620
FCEC2F	2 DRAWER	711	458	620
INTERNAL DRAWER DIMENSIONS		FOOLSCAP	280	387 440



MIDI FILING CABINETS

The Midi Filing Cabinet range is available in foolscap or A4 and offers a filing capacity of 2.1 metres of linear storage. The Midi is available in all colour options and provides 40kg suspension file carrying capacity per drawer.



FEATURES

- . 10 year guarantee
- . FIRA certified
- . 40kg suspension file carrying capacity per drawer
- . Anti-Tilt Locking Mechanism (unit must be on level ground)
- . 100% drawer extension
- . 2 key mastered series

THE OPTIONS

- . Security bar (factory fitted)
- . Same lock number
- . Divider kit
- . A4 conversion kit
- . Full Colour pallet available. See page 5

TECH DATA

FOOLSCAP FILING CABINETS				
		H(mm)	W(mm)	D(mm)
FCMI4F	4 DRAWER	1320	458	620
FCMI3F	3 DRAWER	1009	458	620
FCMI2F	2 DRAWER	711	458	620
FCMI1F	1 FILING + 3 STORAGE DRAWERS			
		711	458	620
INTERNAL DRAWER DIMENSIONS				
FS -FILING		280	387	570
FS - PERSONAL		90	387	580

A4 FILING CABINETS				
		H(mm)	W(mm)	D(mm)
FCMI4A	4 DRAWER	1320	398	620
FCMI3A	3 DRAWER	1009	398	620
FCMI2A	2 DRAWER	711	398	620
INTERNAL DRAWER DIMENSIONS				
A4		280	387	525



EXECUTIVE FILING CABINETS

Executive Filing Cabinets are manufactured using sustainably sourced steel, that shows a significantly reduced carbon footprint. In addition to its green credentials, the Executive provides clean aesthetics and styled looks with a swan neck handle design.



FEATURES

- . 10 year guarantee
- . FIRA certified
- . Contains re-used steel
- . 40kg suspension file carrying capacity per drawer
- . Anti-Tilt Locking Mechanism (unit must be on level ground)
- . 100% drawer extension
- . 2 key mastered series
- . Label holder

THE OPTIONS

- . Security bar (factory fitted)
- . Same lock number
- . Divider kit
- . A4 conversion kit
- . Individually locking
- . Full Colour pallet available. See page 5

TECH DATA

FOOLSCAP FILING CABINETS

		H(mm)	W(mm)	D(mm)
FCEX4F	4 DRAWER	1320	458	620
FCEX3F	3 DRAWER	1009	458	620
FCEX2F	2 DRAWER	711	458	620

INTERNAL DRAWER DIMENSIONS

FS	280	387	525
----	-----	-----	-----

A4 FILING CABINETS

		H(mm)	W(mm)	D(mm)
FCEX4A	4 DRAWER	1320	398	620
FCEX3A	3 DRAWER	1009	398	620
FCEX2A	2 DRAWER	711	398	620

INTERNAL DRAWER DIMENSIONS

A4	280	387	525
----	-----	-----	-----



M:LINE FILING CABINETS

M:Line Filing Cabinets contain sustainably sourced steel. M:Line is not only the best in the range but is unique in the marketplace as it provides increased filing capacity of 2.3 linear metres. This means that nine M:Line cabinets offer the same filing capacity as ten cabinets in other ranges.



FEATURES

- . 10 year guarantee
- . FIRA certified
- . Contains re-used steel
- . 50kg suspension file carrying capacity per drawer
- . Undefeatable Anti-Tilt Locking Mechanism (unit must be on level ground)
- . 100% drawer extension
- . 2 key mastered series
- . Slotted drawer

THE OPTIONS

- . Security bar (factory fitted)
- . Same lock number
- . Divider kit
- . A4 conversion kit
- . Full Colour pallet available. See page 5

TECH DATA

FOOLSCAP M:LINE FILING CABINETS				
		H(mm)	W(mm)	D(mm)
FCLM4F	4 DRAWER	1320	458	620
FCLM3F	3 DRAWER	1009	458	620
FCLM2F	2 DRAWER	711	458	620
FCLM1F	1 FILING + 3 STORAGE DRAWERS	711	458	620
INTERNAL DRAWER DIMENSIONS				
FS - FILING		275	387	575
FS - PERSONAL		90	387	575



MEDIA FILING & INDEX CABINETS

Media and Index cabinets provide a combination of smaller A5 & A6 shallow drawers designed to accomodate high density indexing paperwork & smaller media items.



FEATURES

- . 15 year guarantee
- . 50kg suspension file carrying capacity per drawer
- . Undefeatable Anti-Tilt Locking Mechanism (unit must be on level ground)
- . 100% drawer extension
- . 2 key mastered series
- . Unit height conforms with 4 drawer filing cabinets.
- . 5 Drawer unit holds 3 rows of A5 cards (approx 6900 cards per drawer).
- . 6 Drawer unit holds 2 rows of A5 cards (approx 5750 cards per drawer or approx 74 DVD's).
- . 8 Drawer unit holds 2 rows of A6 (approx 4600 cards per drawer or approx 80 DVD's).

THE OPTIONS

- . Same lock number
- . Divider kit
- . Full Colour pallet available. See page 5

TECH DATA

CARD INDEX UNITS		H(mm)	W(mm)	D(mm)
CIUR86	8 DRAWER A6 CARD INDEX FILING CABINET	1320	398	620
CIUR65	6 DRAWER A5 CARD INDEX FILING CABINET	1320	550	620
CIUR55	5 DRAWER A5 CARD INDEX FILING CABINET	1320	760	460

DIVIDER PLATES

IA86D5	PK 5 DIVIDER PLATES FOR 8 DRAWER CARD INDEX
IA65D5	PK 5 DIVIDER PLATES FOR 6 DRAWER CARD INDEX
IA55D5	PK 5 DIVIDER PLATES FOR 5 DRAWER CARD INDEX





MULTIDRAWERS

Multi-drawers are a traditional and effective form of storage and have a wider range of applications such as storage of small parts/spare or hobby and craft materials. Add an insert tray and they become ideal units for the home, school, garage and your office.

- FEATURES**
- 5 year guarantee
 - FIRA certified
 - 2 key mastered series on locking units

- THE OPTIONS**
- Plastic insert trays with 4, 8 & 16 compartments sold separately (pks 5)
 - Locking or non-locking
 - Full Colour pallet available. See page 5

TECH DATA			
NON LOCKING CABINET			
		H(mm)	W(mm) D(mm)
MDUR15SD	15 DRAWER	866	278 408
MDUR10SD	10 DRAWER	605	278 408
MDUR05SD	5 DRAWER	355	278 408
LOCKING CABINET			
MDUR15LK	15 DRAWER	866	278 408
MDUR10LK	10 DRAWER	605	278 408
MDUR05LK	5 DRAWER	355	278 408
INTERNAL DRAWER DIMENSIONS		49	233 264
INSERTS			
MAPT65SD003	PLASTIC INSERT TRAY - 16 SECTION INSERT		
MAPT85SD003	PLASTIC INSERT TRAY - 8 SECTION INSERT		
MAPT45SD003	PLASTIC INSERT TRAY - 4 SECTION INSERT		



A3 JUMBO & 5 DRAWER FILING CABINETS

The Heavy Duty A3 cabinet is ideal for secure filing of A3 paper formats and computer archive information. Where floor space is limited and additional filing is required the 5 drawer cabinet is an ideal unit offering over 2.6 linear metres of suspension filing on a small footprint.

15

YEARS

70

A3

100%

15

YEARS

50

A4

FS

100%

A3 Jumbo

5 Drawer

FEATURES

- 15 year guarantee
- 50kg suspension file carrying capacity per drawer for 5 drawer unit
- 70kg suspension file carrying capacity per drawer for A3 cabinet
- 100% drawer extension
- 2 key mastered series
- Undefeatable Anti-Tilt Locking Mechanism (unit must be on level ground)
- A3 unit height conforms with 4 drawer filing cabinets.

THE OPTIONS

- Same lock number
- Compressor plates for A3 cabinet
- Security bar (factory fitted)
- Divider kit
- Full Colour pallet available. See page 5


TECH DATA

A3 JUMBO		H(mm)	W(mm)	D(mm)
FCJBA3	3 DRAWER UNIT	1320	550	620
FAA3C1	A3 COMPRESSOR PLATE	350	478	560
INTERNAL DRAWER DIMENSIONS		375	480	570
5 DRAWER				
FCUR5F	FOOLSCAP	1500	458	620
FCUR5A	A4	1500	398	620
INTERNAL DRAWER DIMENSIONS				
	FS	270	387	570
	A4	270	327	570



DOUBLE AND KONTRAX SIDE FILERS

Double and Kontrax side filers offer high volume filing on a space efficient footprint, where space is at a premium. The Double side filer holds A4 filing and offers a depth of 622mm, an ideal partner for standard filing cabinets.



FEATURES

- 5 year guarantee
- FIRA certified
- 50kg suspension file carrying capacity per drawer
- Undeatable Anti-Tilt Locking Mechanism (unit must be on level ground)
- 100% drawer extension
- 2 key mastered series
- Levelling feet
- 2 drawer units supplied with counter balance as standard
- Clip on channels to provide A4 filing
- Label holder

THE OPTIONS

- Same lock number
- Counter balance for 3 & 4 drawer unit
- Individually locking
- Full Colour pallet available. See page 5

TECH DATA

DOUBLE SIDE FILER				H(mm)	W(mm)	D(mm)
SFCT4D	4 DRAWER	1320	800	622		
SFCT3D	3 DRAWER	1009	800	622		
SFCT2D	2 DRAWER	690	800	622		

INTERNAL DRAWER DIMENSIONS				280	710	570
----------------------------	--	--	--	-----	-----	-----

KONTRAX SIDE FILER				H(mm)	W(mm)	D(mm)
SFUK4D	4 DRAWER	1320	800	480		
SFUK3D	3 DRAWER	1009	800	480		
SFUK2D	2 DRAWER	690	800	480		

INTERNAL DRAWER DIMENSIONS				280	710	415
----------------------------	--	--	--	-----	-----	-----



M:LINE SIDE FILERS

M:Line is a fresh stylish product, featuring the Undefeatable Anti-Tilt Locking Mechanism. The M:Line side filer provides the highest safety feature with a robust construction and a high volume suspension filing for your office with the option of individually locking drawers.



FEATURES

- 10 year guarantee
- FIRA certified
- 50kg suspension file carrying capacity per drawer
- Undefeatable Anti-Tilt Locking Mechanism (unit must be on level ground)
- 100% drawer extension
- 2 key mastered series
- Levelling feet
- 2 drawer units supplied with counter balance as standard
- Clip on channels to provide A4 filing

THE OPTIONS

- Same lock number
- Counter balance for 3 & 4 drawer unit
- Individually locking
- Full Colour pallet available. See page 5

TECH DATA

M:LINE SIDE FILER					
1000MM WIDE		H(mm)	W(mm)	D(mm)	
SFLM4DSD	4 DRAWER	1320	1003	507	
SFLM3DSD	3 DRAWER	1009	1003	507	
SFLM2DSD	2 DRAWER	690	1003	507	
800MM WIDE		H(mm)	W(mm)	D(mm)	
SFLM4DOW	4 DRAWER	1320	803	507	
SFLM3DOW	3 DRAWER	1009	803	507	
SFLM2DOW	2 DRAWER	690	803	507	

M:LINE SIDE FILER - INDIVIDUALLY LOCKING					
1000MM		H(mm)	W(mm)	D(mm)	
SFLM4DSD---IL	4 DRAWER	1320	1003	507	
SFLM3DSD---IL	3 DRAWER	1009	1003	507	
SFLM2DSD---IL	2 DRAWER	690	1003	507	
800MM		H(mm)	W(mm)	D(mm)	
SFLM4DOW---IL	4 DRAWER	1320	803	507	
SFLM3DOW---IL	3 DRAWER	1009	803	507	
SFLM2DOW---IL	2 DRAWER	690	803	507	

INTERNAL DRAWER DIMENSIONS			
1003MM WIDE	280	910	415
800MM WIDE	280	710	415



For Individually Locking Side Filers please add 'IL' into the code after the colour reference e.g. For 800mm wide, 1320mm high side filer: SFLM4DOW---IL.

COMBI:STORE

The Combi:store range offers secure storage with its reinforced doors and undefeatable Anti-Tilt Locking Mechanism. Within one standard footprint, the Combi:store range suits all filing choices, from suspended or lateral filing, to box and lever arch files.



FEATURES

- 10 year guarantee
- 50kg suspension file carrying capacity per drawer
- Undefeatable Anti-Tilt Locking Mechanism (unit must be on level ground)
- 100% drawer extension
- 2 key mastered series
- Levelling feet

THE OPTIONS

- Same lock number
- Clip on channels to provide A4 filing sold as pairs (2 required per drawer)
- Full Colour pallet available. See page 5

TECH DATA

CUPBOARD & DRAWER COMBI'S		H(mm)	W(mm)	D(mm)
CSD378	1 X 915MM CUPBOARD & 3 X DRAWERS	2125	1003	470
CSD372	1 X 762MM CUPBOARD & 3 X DRAWERS	1830	1003	470
FLIPPER & DRAWER COMBI'S				
CSD4FU	2 X 376MM FLIPPERS & 4 X DRAWERS	2125	1003	470
CSD3FU	2 X 376MM FLIPPERS & 3 X DRAWERS	1830	1003	470





VERTICAL TAMBOURS

The Vertical Tambour range offers the option of a steel blind giving increased security. It provides ease of operation with its dual handle and counter balanced shutter.

FEATURES

- 5 year guarantee
- FIRA certified
- 2 key mastered series
- Mid beam pull handle
- Self tensioning blind
- Plastic or steel blind

THE OPTIONS

- Steel & plastic fronted tambours only available in grey
- 9 sets of internals

TECH DATA

STEEL TAMBOUR FRONTED		H(mm)	W(mm)	D(mm)
VTSV87	2210MM HIGH	2210	920	470
VTSV72	1830MM HIGH	1830	920	470
PLASTIC TAMBOUR FRONTED				
VTPV87	2210MM HIGH	2210	920	470
VTPV72	1830MM HIGH	1830	920	470

Vertical Tambours take 1000mm standard internals, code reference 'SD'
For storage accessory options go to page 38.





KONTRAX SIDE TAMBOURS

Kontrax Side Tambours are a cost effective, space efficient solution for mixed use office storage. Kontrax provides three widths of 803mm, 1003mm & 1203mm and six height options; this allows versatile use of this product within space planning without compromising budgets.

FEATURES

- 5 year guarantee
- FIRA certified
- 2 key mastered series
- Smooth running track
- Magnetic handle strip
- 3 widths: 803mm, 1003mm & 1203mm
- Lowered plinth on 690mm height units to allow increased filing

THE OPTIONS

- 5 blind finishes
- 5 heights to choose from
- 9 sets of internals. See page 38.

TECH DATA

KONTRAX SIDE TAMBOUR					
800MM WIDE		H(mm)	W(mm)	D(mm)	
SCST7EOW	2000MM HIGH TAMBOUR	2000	803	507	
SCST6EOW	1651MM HIGH TAMBOUR	1651	803	507	
SCST9EOW	1320MM HIGH TAMBOUR	1320	803	507	
SCST4EOW	1016MM HIGH TAMBOUR	1016	803	507	
SCST2EOW	690MM HIGH TAMBOUR	690	803	507	
1000MM WIDE					
SCST7ESD	2000MM HIGH TAMBOUR	2000	1003	507	
SCST6ESD	1651MM HIGH TAMBOUR	1651	1003	507	
SCST9ESD	1320MM HIGH TAMBOUR	1320	1003	507	
SCST4ESD	1016MM HIGH TAMBOUR	1016	1003	507	
SCST2ESD	690MM HIGH TAMBOUR	690	1003	507	
1200MM WIDE					
SCST7ETE	2000MM HIGH TAMBOUR	2000	1203	507	
SCST6ETE	1651MM HIGH TAMBOUR	1651	1203	507	
SCST9ETE	1320MM HIGH TAMBOUR	1320	1203	507	
SCST4ETE	1016MM HIGH TAMBOUR	1016	1203	507	
SCST2ETE	690MM HIGH TAMBOUR	690	1203	507	





M:LINE SIDE TAMBOURS

M:Line is a leader in high volume filing. With a wide selection blind colour options, M:Line will enhance and co-ordinate with your design scheme. Three widths and seven height options make M:Line the choice for space efficient and visually attractive storage.

FEATURES

- 10 year guarantee
- FIRA certified
- 2 key mastered series
- Levelling feet as standard (factory fitted)
- Smooth track glide system for the blinds
- Blinds tested for 80,000 cycles
- Lowered plinth on 690mm height units to allow increased filing

THE OPTIONS

- Various blind finishes are available including wood effect (subject to MOQ)
- 7 Height levels and 3 widths to choose from

For M:Line tambour storage accessory options go to page 38.

Roll out accessories are recommended in bottom half of unit only.

* M:Line 2210mm high tambours have a split back.

TECH DATA

M:LINE SIDE TAMBOUR

800MM WIDE		H(mm)	W(mm)	D(mm)
STLM80W	2210 MM HIGH SIDE TAMBOUR*	2210	803	507
STLM70W	2000MM HIGH SIDE TAMBOUR	2000	803	507
STLM60W	1651MM HIGH SIDE TAMBOUR	1651	803	507
STLM90W	1320MM HIGH SIDE TAMBOUR	1320	803	507
STLM50W	1200MM HIGH SIDE TAMBOUR	1200	803	507
STLM40W	1016MM HIGH SIDE TAMBOUR	1016	803	507
STLM20W	690MM HIGH SIDE TAMBOUR	690	803	507
1000MM WIDE				
STLM8SD	2210MM HIGH SIDE TAMBOUR*	2210	1003	507
STLM7SD	2000MM HIGH SIDE TAMBOUR	2000	1003	507
STLM6SD	1651MM HIGH SIDE TAMBOUR	1651	1003	507
STLM9SD	1320MM HIGH SIDE TAMBOUR	1320	1003	507
STLM5SD	1200MM HIGH SIDE TAMBOUR	1200	1003	507
STLM4SD	1016MM HIGH SIDE TAMBOUR	1016	1003	507
STLM2SD	690MM HIGH SIDE TAMBOUR	690	1003	507
1200MM WIDE				
STLM8TE	2210MM HIGH SIDE TAMBOUR*	2210	1203	507
STLM7TE	2000MM HIGH SIDE TAMBOUR	2000	1203	507
STLM6TE	1651MM HIGH SIDE TAMBOUR	1651	1203	507
STLM9TE	1320MM HIGH SIDE TAMBOUR	1320	1203	507
STLM4TE	1016MM HIGH SIDE TAMBOUR	1016	1203	507
STLM2TE	690MM HIGH SIDE TAMBOUR	690	1203	507





KONTRAX CUPBOARDS

Kontrax Cupboards offer an economical solution to filing and storage requirements. With flat-pack and assembled options, these units offer ease of storage, delivery and installation in restricted areas.

FEATURES

- 5 year guarantee
- FIRA certified
- 2 key mastered series
- Full length door stiffeners
- Available assembled or flat packed
- Flat pack unit supplied with Graphite shelves

THE OPTIONS

- 9 sets of internals see page 38
- Security bar factory fitted
- Full Colour pallet available. See page 5

Kontrax cupboard internals are supplied in Graphite Grey, Ral 7024.

TECH DATA

KONTRAX CUPBOARDS			
ASSEMBLED WITHOUT SHELVES			
		H(mm)	W(mm) D(mm)
CUEC8A	2 DOOR CUPBOARD SUPPLIED EMPTY	1950	915 458
CUEC7A	2 DOOR CUPBOARD SUPPLIED EMPTY	1830	915 458
CUEC6A	2 DOOR CUPBOARD SUPPLIED EMPTY	1650	915 458
CUEC4A	2 DOOR CUPBOARD SUPPLIED EMPTY	1020	915 458
CUEC2A	2 DOOR CUPBOARD SUPPLIED EMPTY	690	915 458
FLAT PACK WITH SHELVES			
CUEC7FGS	2 DOOR CUPBOARD + 3 SHELVES	1830	915 458
CUEC4FGS	2 DOOR CUPBOARD + 1 SHELF	1020	915 458





M:LINE CUPBOARDS

M:Line Cupboards offer an economical solution to filing and storage requirements available in a selection of six heights & two widths. A clean finish is achieved with the full length swan neck handle design.

FEATURES

- 10 year guarantee
- FIRA certified
- 2 key mastered series
- Full length door stiffeners
- Levelling feet as standard (factory fitted)

THE OPTIONS

- 6 Height levels and 2 widths to choose from
- Security bar (factory fitted)
- 6 sets of internals see page 39
- Coat cupboard - 600mm deep - available on request
- Full Colour pallet available. See page 5

For M:Line assembled cupboard storage accessory options go to page 39.

TECH DATA

M:LINE 2 DOOR CUPBOARDS			
ASSEMBLED - 1000MM WIDE			
		H(mm)	W(mm) D(mm)
CULM8SD	CUPBOARD SUPPLIED EMPTY	1950	1000 507
CULM7SD	CUPBOARD SUPPLIED EMPTY	1830	1000 507
CULM6SD	CUPBOARD SUPPLIED EMPTY	1650	1000 507
CULM5SD	CUPBOARD SUPPLIED EMPTY	1200	1000 507
CULM4SD	CUPBOARD SUPPLIED EMPTY	1020	1000 507
CULM2SD	CUPBOARD SUPPLIED EMPTY	690	1000 507
ASSEMBLED - 803MM WIDE			
CULM8OW	CUPBOARD SUPPLIED EMPTY	1950	800 507
CULM7OW	CUPBOARD SUPPLIED EMPTY	1830	800 507
CULM6OW	CUPBOARD SUPPLIED EMPTY	1650	800 507
CULM5OW	CUPBOARD SUPPLIED EMPTY	1200	800 507
CULM4OW	CUPBOARD SUPPLIED EMPTY	1020	800 507
CULM2OW	CUPBOARD SUPPLIED EMPTY	690	800 507





M:LINE OPEN FRONTED CUPBOARDS

M:Line Open Fronted Cupboards can be used to create an accessible, visually indexed filing system. With the ability to take all standard internal fittings they are also ideal for establishing shared resource areas and are a practical solution for corridor areas with limited space to accomodate cupboards with doors.

- FEATURES
- 10 year guarantee
 - FIRA certified
 - 5 Heights available
 - Levelling feet as standard (factory fitted)

- THE OPTIONS
- 6 sets of internals
 - 800mm wide units available on request
 - Full Colour pallet available. See page 5

For storage accessory options go to page 39.

TECH DATA

OPEN FRONTED CUPBOARDS					
1000MM WIDE	H(mm)		W(mm)	D(mm)	
COLM8SD	1950MM HIGH		1950	1000	507
COLM7SD	1830MM HIGH		1830	1000	507
COLM6SD	1650MM HIGH		1650	1000	507
COLM4SD	1020MM HIGH		1020	1000	507
COLM2SD	690MM HIGH		690	1000	507



STANDARD ACCESSORIES

With a variety of internals available, all your storage requirements are covered. Internals on this page can be used in Kontrax Cupboards / Side Tambours, M:line Side Tambours and Vertical Tambours. (For Vertical Tambours please order 1000mm wide internals (SD). Internals are interchangeable). For Combi:store please see internals marked specifically for these units.

MULTI-PURPOSE SHELF



330MM HANGING CENTRES

CAPSP10W	800MM
CAPSP1SD	1000MM
CAPSP1TE*	1200MM

*Lateral filing not available in 1200



270MM HANGING CENTRES

CAPFP10W	800MM
CAPFP1SD	1000MM
CAPFP1TE*	1200MM

*Lateral filing not available in 1200

ROLL OUT REFERENCE SHELF




CARSP10W	800MM
CARSP1SD	1000MM
CARSP1TE	1200MM

WARDROBE SHELF



CAWSP10W	800MM
CAWSP1SD	1000MM
CAWSP1TE	1200MM

LETTER SORTER




CALSP10W	800MM
CALSP1SD	1000MM
CALSP1TE	1200MM

LATERAL FILING FRAME



CALFP10W	800MM
CALFP1SD	1000MM
CALFP1TE	1200MM

ROLL OUT SLOTTED DRAWER




CADRP10W	800MM
CADRP1SD	1000MM
CADRP1TE	1200MM

WITH DIVIDERS:

CADDP5SD 800/1000MM	
CADDP5TE	1200MM

SLOTTED SHELF



CASSP10W	800MM
CASSP1SD	1000MM
CASSP1TE	1200MM

DIVIDERS:

CASDP5SD 800/1000MM	
CASDP5TE	1200MM

ROLL OUT SUSPENDED FILING FRAME



CARFP10W	800MM
CARFP1SD	1000MM
CARFP1TE	1200MM

Roll Out Filing Frame now including anti-tilt as standard.

PLANTER TRAY



• PBLM1200W	800MM
• PBLM120SD	1000MM

SLOTTED SHELF - COMBI:STORE ONLY



CSASHP1SD	1000MM
-----------	--------

SLOTTED DIVIDER KIT WITH 5 DIVIDERS - COMBI:STORE ONLY



CSAUDP5SD	1000MM
-----------	--------

PLEASE NOTE:
Roll-out items are only recommended in bottom half of the unit. Internals are interchangeable. All internals are supplied in Graphite - 012 as standard. Remember to order the compatible width internals for your storage units: 800mm / 1000mm / 1200mm

M:LINE CUPBOARD ACCESSORIES

These internals are only suitable for M:Line Cupboards.

MULTI-PURPOSE SHELF



330MM HANGING CENTRES

CALMPSP10W	800MM
CALMPSP1SD	1000MM

270MM HANGING CENTRES

CALMPFP10W	800MM
CALMPFP1SD	1000MM

ROLL OUT REFERENCE SHELF



CALMRSP10W	800MM
CALMRSP1SD	1000MM

WARDROBE SHELF



CALMWSP10W	800MM
CALMWSP1SD	1000MM

LATERAL FILING FRAME



CALMLFP10W	800MM
CALMLFP1SD	1000MM

SLOTTED SHELF



CALMSSP10W	800MM
CALMSSP1SD	1000MM

LETTER SORTER



CALMLS10W	800MM
CALMLS1SD	1000MM
CALMLS1TE	1200MM


ROLL OUT SUSPENDED FILING FRAME



CALMRFP10W	800MM
CALMRFP1SD	1000MM

RAILEX FILING

Railex Files are the smart filing system for your office. Made from 500um translucent, tough polypropylene, they are made to last much longer than most cardboard equivalents. Give your filing system a lifetime of elegance and durability.



TECH DATA				
RAILEX FILING				
FILVP1SD (LFV-PP)	POLYPROPYLENE V BASE	11" DROP	25 PK	
FIL3P1SD (LF30-PP)	POLYPROPYLENE 30MM BASE	11" DROP	25 PK	
FIL5P1SD (LF50-PP)	POLYPROPYLENE 50MM BASE	11" DROP	25 PK	
FIVVP1SD (VKF/V-PP)	POLYPROPYLENE VERTICAL	V BASE	25 PK	
FIV3P1SD (VKF/30-PP)	POLYPROPYLENE VERTICAL	30MM BASE	25 PK	

Other products available on request including files, folders, wallets and boxes.
Optional bespoke design service on offer.



PEDESTAL STORAGE UNITS

The Pedestal makes an ideal personal storage partner for any desk configuration; including beam, under desk and desk high models. All units offer Anti-Tilt functionality built in as standard. A concealed finger pull on both sides of the drawer finishes off the clean, smooth lines of the pedestal range.

- 5

year

guarantee
- 20

kg

personal drawer
- 40

kg

filing drawer
- pen tray
- decorative pads
- individually locking
- digital and mechanical tumbler locks available
- locking castors
- 470mm deep pedestals available on request - excludes desk high pedestals
- 100%

anti-tilt
- FIRA

certified

FEATURES

- 5 year guarantee
- FIRA certified
- 20kg carrying capacity per personal drawer
- 40kg suspension file carrying capacity per filing drawer
- 5th wheel provides Anti-Tilt
- 2 key mastered series
- Desk high pedestals with levelling feet as standard
- Mobile & desk under pedestals with castors as standard

THE OPTIONS

- Caddy pedestal with handle available on Beam and Under desk pedestals
- Full Colour pallet available. See page 5
- No surcharge for Silver
- Pen tray
- Decorative pads
- Individually locking
- Digital and mechanical tumbler locks available
- Locking castors
- 470mm deep pedestals available on request - excludes desk high pedestals

TECH DATA

BEAM PEDESTAL (WITH CASTORS)		H(mm)	W(mm)	D(mm)
PDBP53SD57	2 PERSONAL + 1 FILING DRAWER	600	300	570
PD4B53SD57	4 PERSONAL DRAWERS	600	300	570
PDRH53SD57	2 PERSONAL + 1 FILING DRAWER (REDUCED HEIGHT)	565	300	570
PDBP54SD57	2 PERSONAL + 1 FILING DRAWER	600	420	570
PD4B54SD57	4 PERSONAL DRAWERS	600	420	570
PDRH54SD57	2 PERSONAL + 1 FILING DRAWER (REDUCED HEIGHT)	565	420	570
UNDER DESK PEDESTAL (WITH CASTORS)				
PD3U55RW57	3 PERSONAL DRAWERS	505	300	570
PDUD55RW57	1 PERSONAL + 1 FILING DRAWER	505	300	570
PD3U55SD57	3 PERSONAL DRAWERS	505	420	570
PDUD55SD57	1 PERSONAL + 1 FILING DRAWER	505	420	570
PDUD52SD57	2 FILING DRAWER	660	420	570
PDUD50SD57	2 PERSONAL + 1 FILING DRAWER	660	420	570
DESK HIGH PEDESTAL (WITH ADJUSTABLE FEET)				
PDDH63SD	2 PERSONAL + 1 FILING DRAWER	690	420	600
PDDH83SD	2 PERSONAL + 1 FILING DRAWER	690	420	800





M:LINE PERSONAL LOCKERS

The M:Line range of personal lockers are an ideal solution for hot desking environments and where there are high volumes of staff requiring secure & compact personal lockers.

FEATURES

- 10 year guarantee
- FIRA certified
- 2 key mastered series
- Standard cam lock fitted
- Levelling feet as standard (factory fitted)
- Slab doors
- Spring release hinges

THE OPTIONS

- Combination lock
- Digital lock
- Coin-operated lock
- Postal slot
- Fixed shelf

TECH DATA

800MM WIDE		H(mm)	W(mm)	D(mm)
PM087PC40W	4 PERSON LOCKER UNIT	870	800	507
PM130PC60W	6 PERSON LOCKER UNIT	1307	800	507
PM170PC80W	8 PERSON LOCKER UNIT	1707	800	507
1000MM WIDE				
PM087PC4SD	4 PERSON LOCKER UNIT	870	1000	507
PM130PC6SD	6 PERSON LOCKER UNIT	1307	1000	507
PM170PC8SD	8 PERSON LOCKER UNIT	1707	1000	507





KONTRAX LOCKERS

The Kontrax Locker range is robust and hard wearing making it ideal for industrial, leisure, public and commercial locations. Available in two depths, two widths and seven compartment configurations, the locker range is the ultimate in cost effective personal storage with the option of solid doors or security enhanced vision panels.

FEATURES

- 5 year guarantee
- FIRA certified
- 2 key mastered series
- Standard cam lock fitted
- Single tier locker features door stiffener
- Coat hooks fitted as standard in single and two tier lockers

THE OPTIONS

- Hasp & Staple lock. Lock required is a 6mm diameter padlock
- Combination lock
- Coin-operated lock
- Digital lock
- Sloping top
- Coat rail
- Postal slots
- Vision doors available on 2,3,4,and 6 tier lockers
- Full Colour pallet available. See page 5

TECH DATA

STANDARD LOCKER	H(mm)	W(mm)	D(mm)
LKS01D22SD 1 DOOR	1780	305	305
LKS02D22SD 2 TIER	1780	305	305
LKS03D22SD 3 TIER	1780	305	305
LKS04D22SD 4 TIER	1780	305	305
LKS06D22SD 6 TIER	1780	305	305
LKS10D22SD 10 TIER	1780	305	305
LKS16D22SD 16 TIER	1780	305	305

For vision doors replace 'LKS' with 'LKV' within the code.
For postal slots replace 'LKS' with 'LKP' within the code.
For a coat rail replace 'LKS' with 'LKC' within the code.

DEEP LOCKER	H(mm)	W(mm)	D(mm)
LKS01D28SD 1 DOOR	1780	305	458
LKS02D28SD 2 TIER	1780	305	458
LKS03D28SD 3 TIER	1780	305	458
LKS04D28SD 4 TIER	1780	305	458
LKS06D28SD 6 TIER	1780	305	458
LKS10D28SD 10 TIER	1780	305	458
LKS16D28SD 16 TIER	1780	305	458


WIDE LOCKER	H(mm)	W(mm)	D(mm)
LKS01D28EW1 DOOR	1780	458	458
LKS02D28EW2 TIER	1780	458	458
LKS03D28EW3 TIER	1780	458	458
LKS04D28EW4 TIER	1780	458	458
LKS06D28EW6 TIER	1780	458	458
LKS10D28EW 10 TIER	1780	458	458
LKS16D28EW 16 TIER	1780	458	458



ACCREDITATION:

Quality and product reliability are key to Silverline, all our products are designed in accordance with ISO & FIRA standards. ISO 9001 commitment ensures that our quality is consistent throughout the Silverline ranges.

ISO 14001 2004	Environmental policy
ISO 9001 2008	Quality Standard
BS 4875 pt7 Level 3/Level 4 1998 & 2006	Strength & stability
BS 4875 pt8 Level 4 1998	Strength & stability
BS 4438:1969	Specifcation for filing cabinets and suspended filing pockets
BS EN 14074:2004	European standard for strength – Durability for office furniture
BS EN 14073-2:2004	European standard for safety for storage
BS EN 14073-3:2004	European standard for strength – Durability for office furniture
ISO 7170:1993 Level 4	Strength and stability of slide runners



TERMS & CONDITIONS

1. DEFINITIONS

- 1.1 'Company' – Means Silverline Office Equipment Ltd., Mildenhall Industrial Estate, Mildenhall, Suffolk, IP27 7DE (company number 00901203).
- 1.2 'Conditions' – Means the terms and conditions of sale set out below and any special terms and conditions agreed in writing by the Company.
- 1.3 'Contract' – Means the contract for the sale of the Goods.
- 1.4 'Customer' – Means the entity or person that buys or agrees to buy the Goods from the Company
- 1.5 'Goods' – Means the articles which the Customer agrees to buy from the Company.
- 1.6 'Price' – Means the price quoted for the Goods but, unless otherwise agreed in writing, excluding carriage, packing, insurance and VAT.

2. APPLICATION OF CONDITIONS

- 2.1 All quotations given, orders accepted and all Contracts entered into are subject to these Conditions. All other written or oral terms, conditions or warranties whatsoever are excluded from the Contract or any variation thereof unless expressly accepted by the Company in writing. No servant or agent of the Company has power to vary these Conditions orally or to make any statement or representation about the Goods, their fitness for any purpose or any other matter whatsoever. If any statement or representation has been made to the Customer by the Company, its servants or agents, upon which the Customer relies (other than in the documents enclosed with the Company's quotation) then the Customer must set out that statement or representation in a document to be attached to or endorsed on the Customer's order and in any such case the Company may confirm, reject or clarify the point and submit a new quotation.
- 2.2 These Conditions shall be incorporated into any Contract between the Company and the Customer to the exclusion of any terms or conditions stipulated or referred to by the Customer. Any dealings with the Company following receipt by the Customer of notice of these Conditions shall automatically be deemed acceptance thereof notwithstanding the absence of formal acknowledgement.

3. QUOTATIONS AND ORDERS

- 3.1 No quotation issued by the Company shall be valid unless it is signed by a duly authorised representative of the Company. Quotations shall only be valid for the period specified therein or, if no such period is specified, for a maximum period of 30 days from the date thereof, and they may be withdrawn or cancelled by the Company at any time within any such period by written or oral notice.
- 3.2 Quotations are for the whole of the Goods for which quotations are given by the Company and the Company may refuse to accept any order which is not for all of the Goods forming the subject of the quotation. Subject to that, an order for Goods the subject of the Company's quotation that is received by the Company within the period for which the quotation is valid shall constitute acceptance of the Company's offer to supply those Goods and shall be binding on the Company and there shall be a Contract for the supply and purchase of the Goods.

- 3.3 Subject to Clause 3.2, no order shall be binding on the Company unless it has been accepted in writing by the Company; and the Company may decline to accept any order. The Company will normally accept the Customer's order using the Company's Official Order Acknowledgment form. When the Company has accepted the Customer's order there shall be a Contract for supply and purchase of the Goods.
- 3.4 No Contract can be cancelled or varied by the Customer except with the written consent of the Company. Such consent may be given, withheld or conditional at the Company's absolute discretion.
- 3.5 The Customer shall be responsible for ensuring the accuracy of any order, including any applicable specification.
- 3.6 The Customer reserves the right to update and/or amend any design, specification or construction of the Goods without notice to the Customer.
- 3.7 The Customer shall be responsible for determining the suitability of the Goods for their intended purposes.

4. DELIVERY

- 4.1 The Company shall deliver the Goods to such premises as the Company shall agree in writing at any time after the Company has notified the Customer that they are ready for delivery. If the Customer requires delivery to premises other than its own premises, the Customer

must confirm this in writing using the Company's Direct Delivery Request Form.

- 4.2 The Customer and the Company shall agree in writing a time and date for delivery of the Goods. The Customer shall begin unloading the Goods from the Company's vehicles within 30 minutes of the agreed delivery time. The Company shall be entitled to charge the Customer per hour or part thereof the Company's administrative charge in force from time to time for any delay in the unloading of the Goods greater than 1 hour from the agreed time of delivery of the Goods.
 - 4.3 The Company shall use reasonable endeavours to deliver at the agreed time but, provided it has used such endeavours, shall not be liable for failure to do so. The Customer shall have no right to cancel any Contract for failure by the Company for any cause to meet any delivery time stated. The Customer shall not have any priority of supply of the Goods.
 - 4.4 All times quoted for delivery are from the date of receipt by the Company of a written order. Alterations by the Customer in its requirements may result in delay in delivery.
 - 4.5 The Company shall deliver as near as possible to the place of delivery agreed in writing by the Company so long as there exists a safe and adequate access thereto and so long as the delivery vehicle can park legally. The Customer is responsible in all cases for providing suitable facilities for unloading, and for effecting unloading of, the delivery vehicle and shall be responsible for loss of or damage to the Goods during the course of such unloading.
 - 4.6 Entry of any vehicle of the Customer or its agent on to the Company's premises to collect the Goods shall be at the sole risk of the Customer or its agent save to the extent that any claim arises from the Company's negligence resulting in personal injury or death.
 - 4.7 The Company shall endeavour to comply with reasonable requests by the Customer for postponement of delivery but shall be under no obligation to do so. If the Customer requests a change in delivery date within three working days of the agreed delivery date, then the Company shall be entitled to charge an administrative fee of either 15% of the Price or the Company's administrative charge in force from time to time, whichever is greater.
 - 4.8 If the Customer fails to take delivery of all or part of the Goods, the Customer shall pay the Company all costs and expenses arising from such failure including without limitation a reasonable charge for storage, insurance and transportation costs and an administrative charge of either 15% of the Price or the Company's administrative charge in force from time to time.
 - 4.9 The Company reserves the right to charge for carriage. In these instances the Customer will be notified in advance.
- 5. RISK AND TITLE IN GOODS**
- 5.1 Risk of loss of, damage to or deterioration in the Goods shall pass to the Customer:
 - 5.1.1 on delivery if the Company delivers the Goods in the Company's standard packaging; or
 - 5.1.2 if in accordance with the Customer's request the Company delivers the Goods in packaging other than the Company's standard packaging or if the Customer collects or arranges for collection of the Goods, at the time when the Goods leave the premises of the Company.
 - 5.2 Title to the Goods or any relevant part thereof shall only pass to the Customer once all sums (including interest) which are due to the Company from the Customer in respect of the Goods and under any other contract have been received by the Company. Until then, title shall remain with the Company.
 - 5.3 The Customer grants the Company, its agents and employees an irrevocable licence to enter any premises where the Goods are stored to inspect the Goods, or, where the Customer's right to possession has terminated, to recover the Goods.
 - 5.4 Until such time as the title in the Goods passes to the Customer, the Customer shall keep the Goods separate from those of the Customer and third parties and properly stored, protected and insured and identified as the Company's property.
 - 5.5 The Customer may, before title has passed to it, use the Goods or resell the Goods on its own behalf in the ordinary course of its business at full market value and, if it does so, shall hold the payment for such Goods on trust for the Company. Such rights may be terminated immediately upon written notice by the Company to the Customer, and, if the Customer is then in possession of the Goods, the Company may at its sole discretion (a) direct the Customer to forthwith return such Goods to the Company at the Customer's expense or (b) recover such Goods.

- 5.6 If, before title in the Goods has passed, the Customer becomes insolvent, makes or attempts to make any arrangement or composition with its creditors, or enters into liquidation, or a receiver, administrator or administrative receiver is appointed over the whole or part of its undertaking or assets then the Company shall be entitled to recover the Goods.
- 5.7 The Customer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the Goods which remain the property of the Company.

6. PRICES

- 6.1 The Customer shall pay to the Company, in addition to the Price, all costs and charges relating to carriage, packing, insurance and VAT ('the Costs and Charges').
- 6.2 The Company may, in the event of (a) any increase in the cost of labour, materials, overheads, transport, taxes, duties or any other costs whatsoever associated with the manufacture or delivery of the Goods and/or (b) any fluctuations in exchange rates affecting the cost of imported Goods or prices quoted other than in sterling, vary the Price of the Goods agreed in the Contract and/or the Costs and Charges.
- 6.3 If any alteration or modification in design, quantity, specification or other requirements in the Goods requested by the Customer is accepted by the Company, the Company shall be entitled to make an adjustment of the Price corresponding to such alteration.
- 6.4 Where the Price includes the whole or part of the cost of any tooling the Customer acknowledges that unencumbered and exclusive title in such tooling shall have vested in the Company and that the Customer has no claim to or rights therein.

7. TERMS OF PAYMENT

- 7.1 Unless otherwise agreed by a duly authorised representative of the Company in writing the Customer shall pay the Price and the Costs and Charges within 30 days of the date of the Company's invoice. The time for payment of the Price and the Costs and Charges shall be of the essence of the Contract.
- 7.2 The Company shall submit its invoice on or at any time after the despatch of the Goods from the Company's premises, save that where delivery or performance has been postponed at the request of or due to the default of the Customer, then the Company may submit its invoice for the Goods at any time after the Goods are ready for delivery or would have been ready in the ordinary course but for the request or default of the Customer.
- 7.3 All payments shall be made to the Company in sterling (or in such currency as has been otherwise agreed in writing) at the address shown on the Company's invoice. Where Goods are delivered by instalments the Company may invoice each instalment separately and the Customer shall pay such invoices in accordance with these Conditions.
- 7.4 The Customer shall pay all amounts owing to the Company in full without any set off, counterclaim or other deduction.
- 7.5 Any failure by the Customer to pay any sums due and payable by it under the Contract when due shall entitle the Company to:
 - 7.5.1 suspend without notice deliveries of Goods under this or any other Contract with the Customer for so long as the default continues; and/or
 - 7.5.2 treat this Contract as repudiated by the Customer; and/or
 - 7.5.3 cease to fulfil further orders placed by the Customer until payment in full of the outstanding amount has been received; and/or
 - 7.5.4 recover the Goods; and/or
 - 7.5.5 amend its terms of payment for future delivery of the Goods; and/or
- 7.5.6 charge the Customer interest both before and after any judgment (calculated annually but accruing on a daily basis) on the amount unpaid, at the rate of 8% per annum above the base rate of Barclays Bank Plc from time to time, until payment in full is made.

- 8. Short Delivery and Defects Apparent on Inspection
- 8.1 The Customer shall have no claim for shortages, defects or other damage apparent on visual inspection unless the Customer:
 - 8.1.1 inspects the Goods within 3 working days of arrival at its premises or other agreed destination and notifies the Company of the claim orally within such period; and
 - 8.1.2 makes a written complaint to the Company and to the carrier (if applicable) within 7 days of receipt of the Goods or such shorter period as the carrier's conditions require specifying the shortage, defect or damage; and
 - 8.1.3 gives the Company a reasonable opportunity to inspect the Goods and investigate any complaint before any use of or alteration to or interference with the Goods.
- 8.2 If the provisions of Clause 8.1 are not complied with then the Goods shall be deemed to be in all respects in accordance with the Contract and the Customer shall pay for the same accordingly. If short delivery does take place, the Customer shall not reject the Goods but shall accept the Goods delivered as a part performance of the Contract.
- 8.3 The Customer shall have no claim for non-delivery unless a written complaint is made to the Company and to the carrier within 3 days of the date of the Company's corresponding invoice or advice note or such shorter period as the carrier's conditions (if applicable) require.
- 8.4 If the Company is satisfied that the defect or damage notified in accordance with Clause 8.1 is not due to damage in transit or due to the acts or omissions of the Customer or any third party, the Company shall at its option repair or replace free of charge and within a reasonable time any Goods lost in transit or found to be defective or damaged on visual inspection. The Customer shall accept such repaired or replacement Goods and the Company shall be under no further liability in respect of any loss or damage whatsoever arising from the initial delivery or lack of delivery or from any delay before the defective Goods are repaired or the replacement Goods are delivered. The Company may, within 14 days of receiving written notice of the damage or defect in accordance with Clause 8.1 (or 30 days if the Goods are situated outside the United Kingdom) inspect the relevant Goods. If, in the Company's reasonable opinion, such defect or damage is due to damage in transit or due to the acts or omissions of the Customer or any third party, the Customer shall be liable for all costs and expenses incurred by the Company in investigating the Customer's complaint concerning the Goods and the Company shall have no liability for the defect or damage.

- 9. WARRANTY**
- 9.1 The respective warranty periods for different Goods and parts thereof shall be as set out the Company's sales brochure current at the

- time that the Contract is entered into ('the Warranty Period'). The Company warrants that the Goods and/or the parts of the Goods will, for the applicable Warranty Period starting from the date of delivery, when properly stored, transported, installed and used, accord with any specification specifically agreed by the Company in writing. All other representations, warranties or conditions as to quality, description, fitness for purpose or otherwise (whether express or implied, statutory or otherwise) are excluded to the fullest extent permitted by law.
- 9.2 If the Goods or parts of the Goods do not comply with the warranty in Clause 9.1, the Company shall at its option repair or replace free of charge and within a reasonable time any such defective Goods or parts thereof. The Customer shall accept such repaired or replacement Goods or parts thereof and the Company shall be under no further liability in respect of any loss or damage whatsoever arising from the breach of such warranty.
- 9.3 The Company may, within 14 days of receiving written notice that the Goods do not comply with the warranty in Clause 9.1 (or 30 days if the Goods are situated outside the United Kingdom) inspect the relevant Goods. If, in the Company's reasonable opinion, the Customer is unable to establish breach of such warranty, the Customer shall be liable for all costs and expenses incurred by the Company in investigating such alleged breach.
- 10. LIABILITY**
- 10.1 Under no circumstances shall the Company be liable, for breach of contract, in tort (including negligence) or otherwise, for any loss of profit, revenue, savings, goodwill, business or other financial loss of any kind, or for any indirect or consequential loss whatsoever arising out of or in connection with the Contract.
- 10.2 If, in spite of provisions in the Contract which purport to exclude or limit the Company's liability, the Company is found liable, then the Company's liability, for breach of contract, in tort (including negligence) or otherwise, shall be limited to the sums paid for the Goods in connection with which such liability arises.
- 10.3 Nothing in the Contract shall operate to exclude or limit the Company's liability for death or personal injury resulting from the negligence of the Company, or for the breach of the Company's implied undertaking as to title, or otherwise in so far as the Company's liability may not lawfully be limited.
- 11. INTELLECTUAL PROPERTY**
- 11.1 The Customer shall indemnify the Company from and against all actions, claims, costs and proceedings which are brought or threatened against the Company by a third party arising from the manufacture of the Goods to any drawing or specification supplied by the Customer.
- 11.2 Copyright, design right and all other rights in all designs, specifications, drawings, documents, and other items and information supplied by the Company are reserved to the Company. In particular, but without limitation, all copyright, design right and other rights in and relating to any of the foregoing produced by the Company specifically for the Customer shall belong to and vest in the Company absolutely and exclusively. The Customer shall not reproduce, sell, loan, exhibit, publish or give away any such designs, specifications, drawings, documents or other items or information without the prior written consent of the Company and the Customer shall not use them in any way except in relation to the Goods in respect of which they are issued.
- 12. FORCE MAJEURE**
- The Company shall not be under any liability to the Customer in respect of any failure to perform or delay in per forming any of its contractual obligations to the Customer to the extent that such failure or delay is caused by circumstances beyond the Company's reasonable control, including without limitation any failure on the part of any supplier to the Company to discharge its obligations to the Company on time.
- 13. TERMINATION**
- 13.1 The Company may terminate the Contract by written notice to the Customer having immediate effect if:
 - 13.1.1 the Customer becomes insolvent, makes or attempts to make any arrangement or composition with its creditors, or enters into liquidation, or a receiver, administrator or administrative receiver is appointed over the whole or part of its undertaking or assets; or
 - 13.1.2 the Customer fails to pay when due any sum payable to the Company under the Contract.
- 13.2 Termination of the Contract shall not affect any right or obligation of either party accrued prior to termination.
- 14. MISCELLANEOUS**
- 14.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to the other party at its registered office or principal place of business. Notices served by fax will be deemed received when sent, subject to issue of a valid transmission slip. Notices served by post will be deemed received 2 business days after posting. Notices served from outside the UK must be sent by fax.
- 14.2 If any provision of the Contract is held by any competent authority to be invalid or unenforceable in whole or in part the validity of the Contract and the remainder of the provisions in question shall not be affected thereby.
- 14.3 Nothing in the Contract is intended to confer any benefit on any third party, whether pursuant to the Contracts (Rights of Third Parties) Act 1999 or otherwise, and no third party shall have the right to enforce any rights under the Contract, except where otherwise agreed in writing.
- 14.4 All rights and remedies of the Company under or in relation to the Contract are cumulative and exercise of any such right or remedy shall not preclude the exercise of others.
- 14.5 Any waiver by the Company of any breach by the Customer of any provision of the Contract shall not be deemed to be a waiver of any later breach or default and shall in no way affect the other terms of the Contract.
- 14.6 The Customer shall not assign any or all of its rights or obligations under the Contract.
- 15. LEGAL**
- The Contract shall be governed by and construed in all respects in accordance with the Laws of England and the Company and the Customer hereby irrevocably submit to the exclusive jurisdiction of the English Courts in respect of any controversy or claim arising out of or in connection with any Contract.
- Note: Some colours are subject to an additional surcharge. See Retail Price List. Some of the information in this brochure may not be correct due to product changes which may have occurred since it was printed. Before ordering, please ask our Sales Office for the latest information. Silverline reserves the right to make changes at any time, without notice, to colour, materials, specifications and models.*